




**BOSCH**



High Quality Power Tool Solutions

BOSCH Power Tools

# Product Catalogue



+971 50 6211975

info@edservices.global





# Wood Working



## Jigsaws

### GST 650

06015A80L0

Power	450 W
Stroke rate	800 - 3100 spm
Cutting depth in wood	65 mm
Tool holder	Keyed
Scope of supply	Carton, Saw Blade Set



### GST 150 BCE

0601513070

Power	780 W
Stroke rate	500 - 3100 spm
Cutting depth in wood	150 mm
Tool holder	Keyless
Scope of supply	Case, AC Set



## Circular Saw

### GKS 190

0601623071

Power	1400 W
No-load speed	5500 rpm
Blade Ø	190 x 30 mm
Cutting depth [45°/90°]	50/70 mm
Scope of supply	Carton, Circular Saw Blade 16 teeth Ø 184x16 mm



### GKS 235

06015A20L0

Power	2500 W
No-load speed	5300 rpm
Volumetric flow rate	235 x 25 mm
Weight	65/85 mm
Scope of supply	GKS 235 baretool, Allen wrench, Saw Blade D235 mm x 25/18 x 25 mm, 60 Teeth, Mitre Fence, Instruction manual



## Planer



### GHO 700

06015A90K1

Power	700 W
No-load speed	16500 rpm
Planing depth	0-2.6 mm
Planing width	82 mm
Scope of supply	Carton



## Orbit Sander



### GSS 140

06012A80L0

Power	220 W
No-load speed	14000 rpm
Orbital stroke rate	28000 opm
Pad dimensions	101 x 112 mm
Scope of supply	Baretool, Sanding Sheet, Instruction manual

## Palm Router



### GKF 550

06016A00P0

Power	550 W
No-load speed	33000 rpm
Collet Ø	6 mm
Weight	1.4 kg
Scope of supply	Assembly Wrench, Template guide, Roller guide, Parallel guide, Straight base, Instruction manual

## Router



### GOF 130

06016B70P1

Power	1300 W
No-load speed	11000 - 28000 rpm
Collet Ø	6 / 8 mm
Plunge depth	55 mm
Scope of supply	COF 130 Baretool, Union Nut, Parallel-Guide, Vacuum Adapter-PC, Template guide -Q235, Assembly Wrench, Instruction manual

## Heat Gun



### GHG 180

060194D0L0

Power	1800 W
Working temperature	60 - 550 °C
Airflow	350 - 550 l/min
Control airflow	3 stages
Scope of supply	Carton, Hot Air Nozzle

## Blower



### GBL 620

06019805L0

Power	620 W
No-load speed	16000 rpm
Volumetric flow rate	3.5 m³/min
Weight	1.7 kg
Scope of supply	Carton, Nozzle



# Drilling/ Demolition



## Impact Drill



**GSB 570**  
06011B70L0

Power	570 W
No-load speed	0-3000 rpm
Ø max of drilling [wood/steel/masonry]	25/10/13 mm
Chuck capacity	1.5-13 mm
Scope of supply	Carton, Auxiliary Handle, Depth-Gauge, Chuck Key



**GSB 13 RE**  
06012271K1

Power	650 W
No-load speed	0-3150 rpm
Ø max of drilling [wood/steel/masonry]	20/10/13 mm
Chuck capacity	1.5-13 mm
Scope of supply	Case, Auxiliary Handle, Depth-Gauge, Chuck Key, AC Set



**GSB 16RE + ACC**  
06012281L1

Power	750 W
No-load speed	0 - 3250 rpm
Ø max of drilling [wood/steel/masonry]	25/12/16 mm
Chuck capacity	1.5 - 13 mm
Scope of supply	GSB 16 RE baretool, Lateral Guard, Auxiliary Handle, Depth-Gauge, Accessory Set, Operating Instructions

## Impact Drill



**GSB 24-2**  
060119C970

Power	1100 W
No-load speed	0-900/3000 rpm
Ø max of drilling [wood/steel/masonry]	40/16/24 mm   25/8/13 mm
Chuck capacity	1.5 - 13 mm
Scope of supply	GSB 24-2 Baretool, Auxiliary Handle, Depth-Gauge, Instruction manual

## Diamond/Stone Cutter



**GDC 140**  
06013A00L0

Power	1400 W
No-load speed	13200 rpm
Disc Ø	115x22.23 mm
Cutting depth	35 mm
Scope of supply	-

## Rotary Drills



**GBM 1600 RE**  
06011B00K0

Power	850 W
No-load speed	0-630 rpm
Ø max of drilling [wood/steel/masonry]	40/16 mm
Chuck capacity	3-16 mm
Scope of supply	Carton, Auxiliary Handle, Chuck Key

## Rotary Hammer



**GBH 2-20 DRE**  
061125A4L0

Power	600 W
Ø max of drilling [concrete]	20 mm
Tool holder	SDS-Plus
Impact energy	1.7 J
Scope of supply	Case, Auxiliary Handle, Depth- Gauge



**GBH 2-28 F**  
0611267600

Power	880 W
Ø max of drilling [concrete]	28 mm
Tool holder	SDS-Plus
Impact energy	3.2 J
Scope of supply	Case, Auxiliary Handle, Depth-Gauge, Quick Change Chuck



**GBH 2-24 DRE**  
06112721K0

Power	790 W
Ø max of drilling [concrete]	24 mm
Tool holder	SDS-Plus
Impact energy	2.7 J
Scope of supply	Case, Auxiliary Handle, Depth- Gauge



**GBH 3-28 DFR**  
061124A000

Power	800 W
Ø max of drilling [concrete]	28 mm
Tool holder	SDS-Plus
Impact energy	3.1 J
Scope of supply	Case, Auxiliary Handle, Depth-Gauge, Quick Change Chuck



**GBH 5-40 D**  
0611269000

Power	1100 W
Ø max of drilling [concrete]	40 mm
Tool holder	SDS-Max
Impact energy	8.5 J
Scope of supply	Case, Auxiliary Handle



**GBH 12-52 DV**  
611266000

Power	1700 W
Ø max of drilling [concrete]	52 mm
Tool holder	SDS-Max
Impact energy	19 J
Scope of supply	Case, Auxiliary Handle



# Drilling/ Demolition



## Demolition Hammer



**GSH 11 E**  
06113168LO

Power	1500 W
Impact rate	900 - 1890 BPM
Tool holder	SDS-Max
Impact energy	16.8 J
Scope of supply	Barettool, Chisel, Cleaning Cloth, Grease Tube, Instruction manual



**GSH 500**  
06113387LO

Power	1100 W
Impact rate	2900 bpm
Tool holder	SDS-Max
Impact energy	7.5 J
Scope of supply	Case, Auxiliary Handle, Pointed Chisel



**GSH 27 VC**  
061130A000

Power	2000 W
Impact rate	1000 bpm
Tool holder	HEX 28 mm
Impact energy	62 J
Scope of supply	Carton

## Stirrer and Mixer



**GRW 12 E**  
06011A7000

Power	1200 W
No-load speed	0-1000 rpm
Torque	12 Nm
Weight	5.3 kg
Scope of supply	Carton, Mixer Attachment



# Cutting/ Grinding



## SAG



**GWS 700**  
06013A30LO

Power	700 W
No-load speed	12000 rpm
Disc Ø	115 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



**GWS 9-115 P**  
0601396505

Power	900 W
No-load speed	11000 rpm
Disc Ø	115 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



**GWS 1400 + DD**  
0601824900

Power	1400 W
No-load speed	11000 rpm
Disc Ø	125 mm
Spindle thread	M14
Scope of supply	Case, Auxiliary Handle, Protection Guard, Diamond Cutting Blade



# Cutting/ Grinding



## LAG



### GWS 2000-230

06018B80P1

Power	2000 W
No-load speed	6500 rpm
Disc Ø	230 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard, Carbon Brush Set



### GWS 2200-230

06018C10P0

Power	2200 W
No-load speed	6500 rpm
Disc Ø	230 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard



### GWS 24-230 JH

06018B4103

Power	2400 W
No-load speed	6500 rpm
Disc Ø	230 mm
Spindle thread	M14
Scope of supply	Carton, Auxiliary Handle, Protection Guard

## Straight Grinder



### GGS 5000 L

0601224170

Power	500 W
No-load speed	33000 rpm
Collet Ø	8 mm
Spindle	Long
Scope of supply	Carton



# Cordless



### GSB 120-LI

06019G81L0

Voltage	12 V
Torque [max/Soft]	30/14 Nm
No-load speed [1st/2nd gear]	0-400/1500 rpm
Ø max of drilling [wood/steel/masonry]	20/10/8 mm
Scope of supply	Brettool, 2x GBA 12V 2.0Ah, Polyethylene Bag, GAL120CV, Operating Instructions



### GSB 180-LI + 23 ACC

06019F83L1

Voltage	18 V
Torque [max/Soft]	54/21 Nm
No-load speed [1st/2nd gear]	0-500/1900 rpm
Ø max of drilling [wood/steel/masonry]	35/10/10 mm
Scope of supply	Case, 2x batteries 2.0Ah, Charger GAL 18V-20, AC Set



### GSB 18V-60 C

06019G2100

Voltage	18 V
Torque [max/Soft]	60/31 Nm
No-load speed [1st/2nd gear]	0-600/1900 rpm
Tool holder	38/13/13 mm
Scope of supply	L-Boxx, 2x batteries 5.0 Ah, GAL 1880 CV



### GDX 180-LI


06019G5220

Voltage	18 V
Max Torque	180 Nm
No-load speed	0-2800 rpm
Tool holder	1/4" Internal Hexagon/1/2" Square
Scope of supply	Case, 2x batteries 3.0Ah, Charger GAL 18V-40





# Bench Top



## BT Chop-/Multicutsaw



**GCO 220**  
0601B373L0

Power	2200 W
No-load speed	3800 rpm
Disc Ø	355 x 25.4 mm
Cutting capacity at L-profile [0°/45°]	130 x 130 mm/ 115 x 115 mm
Scope of supply	Carton, 2xCutting

## BT Chop-/Multicutsaw



**GCD 12 JL**  
0601B28070

Power	2200 W
No-load speed	1500 rpm
Disc Ø	305x25.4 mm
Cutting capacity at L-profile [0°/45°]	110x110 / 85x85 mm
Scope of supply	Carton, Expert for Steel Saw Blade 60

## BT Table Saw



**GTS 254**  
0601B450L0

Power	1800 W
No-load speed	4300 rpm
Saw blade Ø	254 x 25.4 mm
Table size	555 x 555 mm
Scope of supply	Carton, Optiline For Wood Saw Blade 40 teeth Ø 254 x 25.4 mm

## BT Miter Saw



**GCM 10 MX**  
0601B290P0

Power	1700 W
No-load speed	4800 rpm
Saw blade Ø	254x25.4 mm
Cutting depth [0°/45°]	89x89/ 62x130 mm
Scope of supply	Carton, Multimaterial Saw Blade 96 teeth Ø 254 x 30.0 mm

## BT Miter Saw



**GCM 12 GDL**  
0601B23670

Power	2000 W
No-load speed	3800 rpm
Saw blade Ø	305x30 mm
Cutting depth [0°/45°]	104x341 / 51x341 mm
Scope of supply	Carton, Expert for Wood Saw Blade 72 teeth Ø 305 x 30.0 mm



# Leveling

## Cross-line laser



**GLL 2**  
0601063A01

Working range	10m
Projection	2 lines
Accuracy	+/- 0.5 mm/m
Self-levelling range	+/- 4°
Scope of supply	2 x 1.5 V (AA) batteries, Universal mount MM 2


## Three-line laser



**GLL 3-15 X**  
0601063M00

Working range	15m
Projection	3 lines + 1 plumb point
Accuracy	+/- 0.2 mm/m
Self-levelling range	+/- 3°
Scope of supply	4 x 1.5 V (AA) batteries, Universal mount LB10, Protective bag

## Three-line laser



**GLL 3-80**  
0601063S00

Working range	30m [with ceiver:120m] diameter
Projection	3 x 360° line
Accuracy	+/- 0.3 mm/m
Self-levelling range	+/- 4°
Scope of supply	4 x 1.5 V (AA) batteries, Carrying case, Laser target plate

## Optical level



**GOL 32 D + BT 160 + GR 500**  
0601068502

Measurement range	Max. 120m
Accuracy	1mm at 30m
Unit of measure	360 degrees
Magnification	32 x
Scope of supply	BT 160 Professional tripod, GR 500 levelling staff, Adjusting pin, Hex key, Lens cover, Plumb bob





# Detection



## Detector



### GMS 120

0601081000



Max. detection depth	120 mm
Detection depth, steel, max	120 mm
Detection depth, copper, max	80 mm
Detectable materials	Ferrous metals, non-ferrous metals, wooden studs, live cables
Scope of supply	1 x 9 V 6LR61 (block) battery, Hand strap, Protective bag



# Accessories

## Tripod



### BT 150

0601096B00

Max. work height	55 -157 cm
Tripod connection	1/4"
Weight, approx	1.3 kg
Suitable for	GLL 2, GLL 3-15X, GLL 3-80, GLM 50-22 Professional

## Tripod



### BT 160

0601091200



Max. work height	97 -160 cm
Tripod connection	5/8"
Weight, approx	4.1 kg
Suitable for	GLL 3-80, GOL 20 G/D, GOL 26 C/D, GOL 32C/D, GRL 300 HV, GRL 600 CHV Professional

## Levelling staff



### GR 500

0601094300



Length	5m
Sections	5
Weight, approx	1.98 kg
Suitable for	GRL 300 HV, GRL 600 CHV, GOL 20 G/D, GOL 26 C/D, GOL 32C/D Professional





# Metal Drill Bits



## HSS PointTeQ



REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
<b>2608577178</b>	HSS PointTeQ DIN 338 1 x 12 x 34 mm (10pcs)	<b>2608577263</b>	HSS PointTeQ DIN 338 9,5 x 81 x 125 mm (10pcs)
<b>2608577188</b>	HSS PointTeQ DIN 338 2 x 24 x 49 mm (10pcs)	<b>2608577268</b>	HSS PointTeQ DIN 338 10 x 87 x 133 mm (10pcs)
<b>2608577198</b>	HSS PointTeQ DIN 338 3 x 33 x 61 mm (10pcs)	<b>2608577273</b>	HSS PointTeQ DIN 338 10,5 x 87 x 133 mm (5pcs)
<b>2608577203</b>	HSS PointTeQ DIN 338 3,5 x 39 x 70 mm (10pcs)	<b>2608577278</b>	HSS PointTeQ DIN 338 11 x 94 x 142 mm (5pcs)
<b>2608577208</b>	HSS PointTeQ DIN 338 4 x 43 x 75 mm (10pcs)	<b>2608577283</b>	HSS PointTeQ DIN 338 11,5 x 94 x 142 mm (5pcs)
<b>2608577213</b>	HSS PointTeQ DIN 338 4,5 x 47 x 80 mm (10pcs)	<b>2608577288</b>	HSS PointTeQ DIN 338 12 x 101 x 151 mm (5pcs)
<b>2608577218</b>	HSS PointTeQ DIN 338 5 x 52 x 86 mm (10pcs)	<b>2608577298</b>	HSS PointTeQ DIN 338 13 x 101 x 151 mm (5pcs)
<b>2608577223</b>	HSS PointTeQ DIN 338 5,5 x 57 x 93 mm (10pcs)	<b>2608577306</b>	HSS PointTeQ 14.0mm (reduced shank) (1pc)
<b>2608577228</b>	HSS PointTeQ DIN 338 6 x 57 x 93 mm (10pcs)	<b>2608577308</b>	HSS PointTeQ 15.0mm (reduced shank) (1pc)
<b>2608577233</b>	HSS PointTeQ DIN 338 6,5 x 63 x 101 mm (10pcs)	<b>2608577310</b>	HSS PointTeQ 16.0mm (reduced shank) (1pc)
<b>2608577238</b>	HSS PointTeQ DIN 338 7 x 69 x 109 mm (10pcs)	<b>2608577312</b>	HSS PointTeQ 17.0mm (reduced shank) (1pc)
<b>2608577243</b>	HSS PointTeQ DIN 338 7,5 x 69 x 109 mm (10pcs)	<b>2608577313</b>	HSS PointTeQ 18.0mm (reduced shank) (1pc)
<b>2608577248</b>	HSS PointTeQ DIN 338 8 x 75 x 117 mm (10pcs)	<b>2608577314</b>	HSS PointTeQ 19.0mm (reduced shank) (1pc)
<b>2608577253</b>	HSS PointTeQ DIN 338 8,5 x 75 x 117 mm (10pcs)	<b>2608577315</b>	HSS PointTeQ 20.0mm (reduced shank) (1pc)
<b>2608577258</b>	HSS PointTeQ DIN 338 9 x 81 x 125 mm (10pcs)		

## HSS - G



REFERENCE	DESCRIPTION	REFERENCE	DESCRIPTION
<b>2608595049</b>	Metal drill bits HSS-G, DIN 338 1 x 12 x 34 mm (10pcs)	<b>2608595072</b>	Metal drill bits HSS-G, DIN 338 8 x 75 x 117 mm (5pcs)
<b>2608595051</b>	Metal drill bits HSS-G, DIN 338 2 x 24 x 49 mm (10pcs)	<b>2608595073</b>	Metal drill bits HSS-G, DIN 338 8,5 x 75 x 117 mm (5pcs)
<b>2608595055</b>	Metal drill bits HSS-G, DIN 338 3 x 33 x 61 mm (10pcs)	<b>2608595075</b>	Metal drill bits HSS-G, DIN 338 9 x 81 x 125 mm (5pcs)
<b>2608595058</b>	Metal drill bits HSS-G, DIN 338 3,5 x 39 x 70 mm (10pcs)	<b>2608595077</b>	Metal drill bits HSS-G, DIN 338 10 x 87 x 133 mm (5pcs)
<b>2608595059</b>	Metal drill bits HSS-G, DIN 338 4 x 43 x 75 mm (10pcs)	<b>2608595078</b>	Metal drill bits HSS-G, DIN 338 10,5 x 87 x 133 mm (5pcs)
<b>2608595061</b>	Metal drill bits HSS-G, DIN 338 4,5 x 47 x 80 mm (10pcs)	<b>2608595079</b>	Metal drill bits HSS-G, DIN 338 11 x 94 x 142 mm (5pcs)
<b>2608595062</b>	Metal drill bits HSS-G, DIN 338 5 x 52 x 86 mm (10pcs)	<b>2608595080</b>	Metal drill bits HSS-G, DIN 338 11,5 x 94 x 142 mm (5pcs)
<b>2608595064</b>	Metal drill bits HSS-G, DIN 338 5,5 x 57 x 93 mm (10pcs)	<b>2608595081</b>	Metal drill bits HSS-G, DIN 338 12 x 101 x 151 mm (5pcs)
<b>2608595066</b>	Metal drill bits HSS-G, DIN 338 6 x 57 x 93 mm (10pcs)	<b>2608595083</b>	Metal drill bits HSS-G, DIN 338 13 x 101 x 151 mm (5pcs)
<b>2608595068</b>	Metal drill bits HSS-G, DIN 338 6,5 x 63 x 101 mm (10pcs)	<b>2608585593</b>	Metal drill bits HSS-G, DIN 338 14 x 108 x 160 mm (4pcs)
<b>2608595070</b>	Metal drill bits HSS-G, DIN 338 7 x 69 x 109 mm (10pcs)	<b>2608585594</b>	Metal drill bits HSS-G, DIN 338 15 x 114 x 169 m(4pcs)
<b>2608595071</b>	Metal drill bits HSS-G, DIN 338 7,5 x 69 x 109 mm (10pcs)	<b>2608585595</b>	Metal drill bits HSS-G, DIN 338 16 x 120 178 m (4pcs)



**2608587013** Probox HSS-G, 1-10 mm (19pcs)  
**2608587017** Probox HSS-G, 1-13 mm (25pcs)

**2608577351** ProBox HSS PointTeQ 1-10 mm (19Pcs)  
**2608577352** ProBox HSS PointTeQ 1-13 mm (25Pcs)



**2608587015** Probox HSS-TiN, 1-10 mm (19pcs)  
**2608587019** Probox HSS-TiN, 1-13 mm (25pcs)  
 (Titanium Coated)

**2608587014** Probox HSS-Co, 1-10 mm (19pcs)  
**2608587018** Probox HSS-Co, 1-13 mm (25pcs)  
 (For Stainless Steel)



# Wood Drill Bits




## Spade Bits Self Cut

Extremely fast and clean holes

Excellent price/performance ratio and drilling accuracy:  
The cost-effective and fast alternative to auger bits

REFERENCE	DESCRIPTION
<a href="#">2608595487</a>	Self Cut Speed spade bit, hexagon 16 x 152 mm
<a href="#">2608595489</a>	Self Cut Speed spade bit, hexagon 18 x 152 mm
<a href="#">2608595491</a>	Self Cut Speed spade bit, hexagon 20 x 152 mm
<a href="#">2608595492</a>	Self Cut Speed spade bit, hexagon 22 x 152 mm
<a href="#">2608595493</a>	Self Cut Speed spade bit, hexagon 24 x 152 mm
<a href="#">2608595494</a>	Self Cut Speed spade bit, hexagon 25 x 152 mm
<a href="#">2608595498</a>	Self Cut Speed spade bit, hexagon 32 x 152 mm
<a href="#">2608587009</a>	7-piece Self Cut Speed spade bit set 16; 18; 20; 22; 25; 32 mm
<a href="#">2608587010</a>	13-piece Self Cut Speed spade bit set 10; 12; 13; 14; 16; 18; 20; 22; 24; 25; 28; 30; 32mm



## Brad Point Drill Bits

Extremely sharp drill bits for precise, tear-free drilled holes

REFERENCE	DESCRIPTION
<a href="#">2608596303</a>	Standard brad point drill bits 6 x 57 x 93 mm, d 6 mm
<a href="#">2608596305</a>	Standard brad point drill bits 8 x 75 x 117 mm, d 8 mm
<a href="#">2608596307</a>	Standard brad point drill bits 10 x 80 x 120 mm, d 10 mm
<a href="#">2608596309</a>	Standard brad point drill bits 12 x 96 x 151 mm, d 10 mm
<a href="#">2608596311</a>	Standard brad point drill bits 14 x 96 x 151 mm, d 10 mm
<a href="#">2608596313</a>	Standard brad point drill bits 16 x 100 x 160 mm, d 10 mm



## Spur Auger Bits

Precise and clean drilled holes

REFERENCE	DESCRIPTION
<a href="#">2608597644</a>	Wood auger bit, hexagon 16 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597645</a>	Wood auger bit, hexagon 18 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597646</a>	Wood auger bit, hexagon 20 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597647</a>	Wood auger bit, hexagon 22 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597648</a>	Wood auger bit, hexagon 24 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597649</a>	Wood auger bit, hexagon 26 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597650</a>	Wood auger bit, hexagon 28 x 360 x 450 mm, d 11,1 mm
<a href="#">2608597651</a>	Wood auger bit, hexagon 30 x 360 x 450 mm, d 11,1 mm



# Cylindrical Drill Bits




## CYL - 3

Fast and clean holes in concrete

- Good lifetime/wear resistance
- Standard lifetime/Good dust removal


REFERENCE	DESCRIPTION
2608597660	Concrete drill bit CYL-3 6 x 60 x 100 mm, d 5,5 mm
2608597663	Concrete drill bit CYL-3 8 x 80 x 120 mm, d 7,5 mm
2608597665	Concrete drill bit CYL-3 10 x 80 x 120 mm, d 9 mm
2608597667	Concrete drill bit CYL-3 12 x 90 x 150 mm, d 10 mm
2608597684	Concrete drill bit CYL-3 12 x 150 x 200 mm, d 10 mm
2608597688	Concrete drill bit CYL-3 14 x 250 x 300 mm, d 10 mm



## CYL - 9 Ceramic

Drilling in soft and medium density tiles

REFERENCE	DESCRIPTION
2608587161	Tile drill bit CYL-9 Ceramic 6 x 80 mm
2608587164	Tile drill bit CYL-9 Ceramic 8 x 80 mm
2608587165	Tile drill bit CYL-9 Ceramic 10 x 90 mm
2608587166	Tile drill bit CYL-9 Ceramic 12 x 90 mm
2608587167	Tile drill bit CYL-9 Ceramic 14 x 90 mm
2608587168	Tile drill bit CYL-9 Ceramic 16 x 90 mm



## Diamond Drill Bit Easy Dry

Best for ceramic

REFERENCE	DESCRIPTION
2608587143	Diamond drill bit Easy Dry Best for Ceramic 12 x 33 mm
2608587144	Diamond drill bit Easy Dry Best for Ceramic 14 x 33 mm



## CYL - 9 Natural Stone

REFERENCE	DESCRIPTION
2608589550	CYL-9 NaturalStone, 6 x 150 mm
2608589541	CYL-9 NaturalStone, 8 x 150 mm
2608589548	CYL-9 NaturalStone, 10 x 120 mm
2608589549	CYL-9 NaturalStone, 12 x 150 mm
2608589544	CYL-9 NaturalStone, 14 x 150 mm






# Drill Bits



**Centring tip**  
Active centring tip for active cutting in concrete

**Diamond-ground cutting edges**  
Special ground tip enables multi-purpose drilling

**4-flute dura design**  
Reinforced core section for better wear resistance and stability when drilling in concrete



**2-cutter, AWB brazing and hardening**  
Diameter-optimised brazing and hardening technology to increase the robustness of the drill bit and reduce the vibration during drilling

## CYL - 9 Multi Construction

Drilling in all kinds of material

REFERENCE	DESCRIPTION
2608596050	Multi-purpose drill bit CYL-9 Multi Construction 4 x 40 x 75 mm, d 3,8 mm
2608596051	Multi-purpose drill bit CYL-9 Multi Construction 5 x 50 x 85 mm, d 4,5 mm
2608596053	Multi-purpose drill bit CYL-9 Multi Construction 6 x 60 x 100 mm, d 5,5 mm
2608596055	Multi-purpose drill bit CYL-9 Multi Construction 8 x 80 x 120 mm, d 7,2 mm
2608596057	Multi-purpose drill bit CYL-9 Multi Construction 10 x 80 x 120 mm, d 9 mm
2608596058	Multi-purpose drill bit CYL-9 Multi Construction 12 x 90 x 150 mm, d 10 mm
2608596065	Multi-purpose drill bit CYL-9 Multi Construction 14 x 200 x 250 mm, d 10 mm



REFERENCE	DESCRIPTION
2608579417	Hammer drill bit SDS plus-1 (4 Flute) 6x50x110mm
2608579418	Hammer drill bit SDS plus-1 (4 Flute) 6x100x160mm
2608579425	Hammer drill bit SDS plus-1 (4 Flute) 8x100x160mm
2608579426	Hammer drill bit SDS plus-1 (4 Flute) 8x150x210mm
2608579430	Hammer drill bit SDS plus-1 (4 Flute) 10x100x160mm
2608579434	Hammer drill bit SDS plus-1 (4 Flute) 12x100x160mm
2608579435	Hammer drill bit SDS plus-1 (4 Flute) 12x150x210mm
2608579436	Hammer drill bit SDS plus-1 (4 Flute) 12x200x260mm
2608579437	Hammer drill bit SDS plus-1 (4 Flute) 12x400x460mm
2608579441	Hammer drill bit SDS plus-1 (4 Flute) 14x200x260mm
2608579442	Hammer drill bit SDS plus-1 (4 Flute) 14x400x460mm
2608579443	Hammer drill bit SDS plus-1 (4 Flute) 16x150x210mm
2608579444	Hammer drill bit SDS plus-1 (4 Flute) 16x250x310mm
2608579445	Hammer drill bit SDS plus-1 (4 Flute) 16x400x460mm
2608579446	Hammer drill bit SDS plus-1 (4 Flute) 18x200x260mm
2608579447	Hammer drill bit SDS plus-1 (4 Flute) 18x400x450mm
2608579448	Hammer drill bit SDS plus-1 (4 Flute) 20x200x260mm
2608579452	Hammer drill bit SDS plus-1 (4 Flute) 25x200x250mm


REFERENCE	DESCRIPTION
2608833825	Hammer drill bit SDS-plus-5X 16 x 150 x 210 mm
2608833827	Hammer drill bit SDS-plus-5X 16 x 250 x 310 mm
2608833829	Hammer drill bit SDS-plus-5X 16 x 400 x 460 mm
2608833912	3-pieces Hammer drill bit set SDS-plus-5X 6;8;10 x 100 x 160 mm

REFERENCE	DESCRIPTION
2608833778	Hammer drill bit SDS-plus-5X 6 x 100 x 160 mm
2608833789	Hammer drill bit SDS-plus-5X 8 x 150 100 x 160 mm
2608833790	Hammer drill bit SDS-plus-5X 8 x 150 x 210 mm
2608833798	Hammer drill bit SDS-plus-5X 10 x 100 x 160 mm
2608833800	Hammer drill bit SDS-plus-5X 10 x 200 x 260 mm
2608833807	Hammer drill bit SDS-plus-5X 12 x 100 x 160 mm
2608833808	Hammer drill bit SDS-plus-5X 12 x 150 x 160 mm
2608833809	Hammer drill bit SDS-plus-5X 12 x 200 x 260 mm
2608833812	Hammer drill bit SDS-plus-5X 12 x 400 x 460 mm
2608833818	Hammer drill bit SDS-plus-5X 14 x 200 x 260 mm

## SDS Plus-5X



# SDS Max Drill Bits



## SDS Max-4

Long life drilling in concrete

REFERENCE	DESCRIPTION
<b>2608685861</b>	Hammer drill bit SDS-max-4 16 x 400 x 540 mm
<b>2608685863</b>	Multi-purpose drill bit CYL-9 Multi Construction 5 x 50 x 85 mm, d 4,5 mm
<b>2608685865</b>	Multi-purpose drill bit CYL-9 Multi Construction 6 x 60 x 100 mm, d 5,5 mm
<b>2608685867</b>	Multi-purpose drill bit CYL-9 Multi Construction 8 x 80 x 120 mm, d 7,2 mm
<b>2608685869</b>	Multi-purpose drill bit CYL-9 Multi Construction 10 x 80 x 120 mm, d 9 mm
<b>2608685871</b>	Multi-purpose drill bit CYL-9 Multi Construction 12 x 90 x 150 mm, d 10 mm
<b>2608685873</b>	Multi-purpose drill bit CYL-9 Multi Construction 14 x 200 x 250 mm, d 10 mm
<b>2608685875</b>	Hammer drill bit SDS-max-4 32 x 400 x 520 mm
<b>2608685876</b>	Hammer drill bit SDS-max-4 35 x 400 x 520 mm
<b>2608685877</b>	Hammer drill bit SDS-max-4 40 x 400 x 520 mm

REFERENCE	DESCRIPTION
<b>2608578602</b>	New! SDS-max-8X 12 x 200 x 340 mm
<b>2608578603</b>	New! SDS-max-8X 12 x 400 x 540 mm
<b>2608578606</b>	New! SDS-max-8X 14 x 200 x 340 mm
<b>2608578607</b>	New! SDS-max-8X 14 x 400 x 540 mm
<b>2608578612</b>	New! SDS-max-8X 16 x 200 x 340 mm
<b>2608578613</b>	New! SDS-max-8X 16 x 400 x 540 mm
<b>2608578619</b>	New! SDS-max-8X 18 x 200 x 340 mm
<b>2608578620</b>	New! SDS-max-8X 18 x 400 x 540 mm
<b>2608578626</b>	New! SDS-max-8X 20 x 200 x 320 mm
<b>2608578627</b>	New! SDS-max-8X 20 x 400 x 520 mm
<b>2608578632</b>	New! SDS-max-8X 22 x 400 x 520 mm
<b>2608578637</b>	New! SDS-max-8X 24 x 400 x 520 mm
<b>2608578639</b>	New! SDS-max-8X 25 x 400 x 520 mm
<b>2608578644</b>	New! SDS-max-8X 26 x 400 x 520 mm
<b>2608578646</b>	New! SDS-max-8X 28 x 400 x 520 mm
<b>2608578651</b>	New! SDS-max-8X 30 x 400 x 520 mm
<b>2608578653</b>	New! SDS-max-8X 32 x 400 x 520 mm

## SDS Max-8X

Enables 50% more durability in toughest applications

- Full carbide, 4-cutter head guarantees exceptional performance and resistance in reinforced concrete
- Extremely high stress and heat resistant due to strong and lasting welded bond between steel body and full carbide head
- Ultimate sharp 90° centering tip provides an accurate start when drilling



## SDS Max-9 Corecutter

For switch boxes



REFERENCE	DESCRIPTION
<b>F00Y145189</b>	SDS-max-9 core cutter 45 x 80 x 420 mm
<b>F00Y145191</b>	SDS-max-9 core cutter 50 x 80 x 420 mm
<b>F00Y145195</b>	SDS-max-9 core cutter 68 x 80 x 420 mm
<b>2608580521</b>	SDS-max-9 core cutter 68 x 80 x 108 mm



# Chisels & Holesaws



## Chisels



REFERENCE	DESCRIPTION
<a href="#">2608690145</a>	Pointed chisel SDS-plus 250 mm
<a href="#">2608690144</a>	Flat chisel SDS-plus 250 x 20 mm
<a href="#">2609390576</a>	Pointed chisel, Long Life, SDS-plus 250 mm
<a href="#">2609390394</a>	Flat chisel, Long Life, SDS-plus 250 x 20 mm
<a href="#">2608690142</a>	Pointed chisel SDS-max 400 mm
<a href="#">2608690128</a>	Pointed chisel SDS-max 400 mm (10pcs)
<a href="#">2608690141</a>	Flat chisel SDS-max 400 x 25 mm
<a href="#">2608690125</a>	Flat chisel SDS-max 400 x 25 mm (10pcs)
<a href="#">2608690167</a>	Pointed chisel RTec Speed, SDS-max 400 mm
<a href="#">2608690168</a>	Pointed chisel RTec Speed, SDS-max 400 mm (10pcs)
<a href="#">2608690124</a>	Flat chisel RTec Sharp, SDS-max 400 mm
<a href="#">2608690166</a>	Flat chisel RTec Sharp, SDS-max 400 mm (10pcs)
<a href="#">2608690097</a>	Spade chisel SDS-max 350 x 50 mm
<a href="#">2608690091</a>	Tile chisel SDS-plus 260 x 40 mm
<a href="#">2608690106</a>	Pointed chisel with 28 mm hex shank 400 mm
<a href="#">1618600019</a>	Pointed chisel with 28 mm hex shank 520 mm
<a href="#">2608690108</a>	Flat chisel, 28-mm hex shank 400 x 36 mm
<a href="#">1618600206</a>	Flat chisel, 28-mm hex shank 520 x 36 mm
<a href="#">2608690111</a>	Pointed chisel with 30 mm hex shank 400 mm
<a href="#">2608690112</a>	Flat chisel, 30-mm hex shank 400 x 35 mm

## Holesaws

REFERENCE	DESCRIPTION
<a href="#">2608580397</a>	HSS bi-metal holesaw for standard adapters 16mm
<a href="#">2608580399</a>	HSS bi-metal holesaw for standard adapters 19mm
<a href="#">2608580400</a>	HSS bi-metal holesaw for standard adapters 20mm
<a href="#">2608580402</a>	HSS bi-metal holesaw for standard adapters 22mm
<a href="#">2608580404</a>	HSS bi-metal holesaw for standard adapters 25mm
<a href="#">2608580408</a>	HSS bi-metal holesaw for standard adapters 32mm
<a href="#">2608580410</a>	HSS bi-metal holesaw for standard adapters 35mm
<a href="#">2608580412</a>	HSS bi-metal holesaw for standard adapters 38mm
<a href="#">2608580413</a>	HSS bi-metal holesaw for standard adapters 40mm
<a href="#">2608580416</a>	HSS bi-metal holesaw for standard adapters 44mm
<a href="#">2608580417</a>	HSS bi-metal holesaw for standard adapters 46mm
<a href="#">2608580418</a>	HSS bi-metal holesaw for standard adapters 48mm
<a href="#">2608580419</a>	HSS bi-metal holesaw for standard adapters 51mm
<a href="#">2608580420</a>	HSS bi-metal holesaw for standard adapters 52mm
<a href="#">2608580421</a>	HSS bi-metal holesaw for standard adapters 54mm
<a href="#">2608580423</a>	HSS bi-metal holesaw for standard adapters 57mm
<a href="#">2608580426</a>	HSS bi-metal holesaw for standard adapters 64mm
<a href="#">2608580429</a>	HSS bi-metal holesaw for standard adapters 68mm
<a href="#">2608580432</a>	HSS bi-metal holesaw for standard adapters 76mm
<a href="#">2608580433</a>	HSS bi-metal holesaw for standard adapters 79mm

REFERENCE	DESCRIPTION
<a href="#">2608580434</a>	HSS bi-metal holesaw for standard adapters 83mm
<a href="#">2608580436</a>	HSS bi-metal holesaw for standard adapters 89mm
<a href="#">2608580437</a>	HSS bi-metal holesaw for standard adapters 92mm
<a href="#">2608580438</a>	HSS bi-metal holesaw for standard adapters 95mm
<a href="#">2608580439</a>	HSS bi-metal holesaw for standard adapters 98mm
<a href="#">2608580440</a>	HSS bi-metal holesaw for standard adapters 102mm
<a href="#">2608580441</a>	HSS bi-metal holesaw for standard adapters 105mm
<a href="#">2608580443</a>	HSS bi-metal holesaw for standard adapters 111mm
<a href="#">2608580444</a>	HSS bi-metal holesaw for standard adapters 114mm
<a href="#">2608580445</a>	HSS bi-metal holesaw for standard adapters 121mm
<a href="#">2608580446</a>	HSS bi-metal holesaw for standard adapters 127mm
<a href="#">2608580448</a>	HSS bi-metal holesaw for standard adapters 152mm



# Holesaws



## Progressor Holesaws

REFERENCE	DESCRIPTION
2608584618	Progressor holesaw 22 mm, 7/8"
2608584620	Progressor holesaw 25 mm, 1"
2608584624	Progressor holesaw 32 mm, 1 1/4"
2608584626	Progressor holesaw 35 mm, 1 3/8"
2608584629	Progressor holesaw 40 mm, 1 9/16"
2608584635	Progressor holesaw 51 mm, 2"
2608584642	Progressor holesaw 64 mm, 2 1/2"
2608584645	Progressor holesaw 68 mm, 2 11/16"
2608584657	Progressor holesaw 105 mm, 4 1/8"



## Sheet Metal Holesaws

For the toughest demands

REFERENCE	DESCRIPTION
2608584781	Sheet Metal holesaw 20 mm, 25/32"
2608584787	Sheet Metal holesaw 30 mm, 1 3/16"
2608584790	Sheet Metal holesaw 35 mm, 1 3/8"
2608584795	Sheet Metal holesaw 48 mm, 1 7/8"
2608584803	Sheet Metal holesaw 68 mm, 2 11/16"



## Holesaw Sets

REFERENCE	DESCRIPTION
1609200243	8-piece hole cutter set 25; 32; 38; 44; 51; 57; 63; 68 mm
2608580803	9-piece plumber holesaw set, bi-metal 19, 22, 29, 38, 44, 57, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608584667	9-piece electrician holesaw set, bi-metal 20, 25, 32, 38, 51, 64, 14-30, 32-152, 6,35 x 75 mm, 6,35 x 104 mm
2608580804	14-piece Progressor holesaw set 19; 22; 25; 29; 35; 38; 44; 51; 57; 64; 76 mm




## Holesaw Adapters

REFERENCE	DESCRIPTION
2608584674	Power-Change adapter 8 mm hex shank
2608584675	Power-Change adapter SDS-plus shank
2609390034	Hexagon socket adapter 5/8" - 18 UNF, 32-210 mm
2609390035	SDS-plus adapter 1/2"-20 UNF, 14-30 mm
2609390036	SDS-plus adapter 5/8" - 18 UNF, 32-210 mm
2609390588	Hex socket arbor guide bit 3/8", 14mm-30mm





# Screwdriver Bits



## Extra Hard Bits

For universal use

REFERENCE	DESCRIPTION
2607001511	Screwdriver bit Extra Hard PH 2, 25 mm
2607001514	Screwdriver bit Extra Hard PH 2, 25 mm
2608522186	Screwdriver bit Extra Hard PH 2, 25 mm (tictac box)
2607002503	Screwdriver bit Extra Hard PH 2, 49 mm
2607001528	Screwdriver bit Extra Hard PH 2, 49 mm
2607001535	Screwdriver bit Extra Hard PH 2, 89 mm
2607001558	Screwdriver bit Extra Hard PZ 2, 25 mm
2607001561	Screwdriver bit Extra Hard PZ 2, 25 mm
2608522187	Screwdriver bit Extra Hard PZ 2, 25 mm (tictac box)
2607001575	Screwdriver bit Extra Hard PZ 1, 49 mm
2607001577	Screwdriver bit Extra Hard PZ 2, 49 mm
2607002506	Screwdriver bit Extra Hard PZ 2, 49 mm
2607001583	Screwdriver bit Extra Hard PZ 2, 89 mm
2607001738	Double ended bit S 1,0 x 5,5; PH2; 45 mm
2607001740	Double ended bit PH2; PH2; 45 mm
2608521039	10pcs double ended SDB set; PH2; 65 mm
2608521042	10pcs double ended SDB set; PH2; 65 mm (Gold)
2608521043	10pcs double ended SDB set; PH2; 110 mm (Gold)



## Extra Hard Bits

Screwdriver Bit Sets

REFERENCE	DESCRIPTION
2607002581	18+1-piece Robust Line screwdriver bit set L, Max Grip version 25 mm, 18+1-piece
2607017063	32pcs SDB set
2607017164	43-piece bit and nutsetter set
2607019503	25pcs SDB set (pencil)
2607019504	46 pcs Screw Driver Bit Set
2608522305	Socket SW 17 mm; M10; L 77 mm
2608522306	Socket SW 19 mm; M 12; L 77 mm
2608522308	Socket SW 21 mm; M 14; L 38 mm



# Diamond Applications




## Diamond Cutting Discs for Universal



REFERENCE	DESCRIPTION
<b>2608615027</b>	Diamond Cutting Disc ECO for Universal 115mm x 22.25mm
<b>2608615030</b>	Diamond Cutting Disc ECO for Universal 180mm x 22.25mm
<b>2608615031</b>	Diamond Cutting Disc ECO for Universal 230mm x 22.25mm
<b>2608615032</b>	Diamond Cutting Disc ECO for Universal 300mm x 20mm
<b>2608615033</b>	Diamond Cutting Disc ECO for Universal 300mm x 25.4mm
<b>2608615034</b>	Diamond Cutting Disc ECO for Universal 350mm x 20mm
<b>2608615035</b>	Diamond Cutting Disc ECO for Universal 350mm x 25.4mm
<b>2608600923</b>	Diamond cutting disc Professional for Universal 105 mm x 20,00 mm x 1,6 mm
<b>2608615057</b>	Diamond cutting disc Professional for Universal 115 mm x 22,23 mm x 1,6 mm
<b>2608602192</b>	Diamond cutting disc Professional for Universal 125 mm x 22,23 mm x 1,6 mm
<b>2608602194</b>	Diamond cutting disc Professional for Universal 180 mm x 22,23 mm x 2 mm
<b>2608602195</b>	Diamond cutting disc Professional for Universal 230 mm x 22,23 mm x 2,3 mm
<b>2608602551</b>	Diamond cutting disc Professional for Universal 450mm x 25,40 mm x 3,6 mm
<b>2608615067</b>	Diamond cutting disc Professional for Universal 300 mm x 22,23 mm x 3,1 mm
<b>2608615070</b>	Diamond cutting disc Professional for Universal 350 mm x 20,00 mm x 3,1 mm
<b>2608615071</b>	Diamond cutting disc Professional for Universal 350 mm x 25,40 mm x 3,1 mm
<b>2608602393</b>	Diamond cutting disc Professional for Universal Turbo 115 mm x 22,23 mm x 2 mm
<b>2608602396</b>	Diamond cutting disc Professional for Universal Turbo 180 mm x 22,23 mm x 2,5 mm
<b>2608602397</b>	Diamond cutting disc Professional for Universal Turbo 230 mm x 22,23 mm x 2,5 mm
<b>2608602571</b>	Diamond cutting disc Expert for Universal 350 mm x 20/25,40 mm x 3,2 mm
<b>2608602572</b>	Diamond cutting disc Expert for Universal 400 mm x 20/25,40 mm x 3,2 mm

## Diamond Cutting Discs for Concrete



REFERENCE	DESCRIPTION
<b>2608602196</b>	Diamond cutting disc Professional for Concrete 115 mm x 22,23 mm x 1,6 mm
<b>2608602198</b>	Diamond cutting disc Professional for Concrete 150 mm x 22,23 mm x 2,0 mm
<b>2608602199</b>	Diamond cutting disc Professional for Concrete 180 mm x 22,23 mm x 2 mm
<b>2608602200</b>	Diamond cutting disc Professional for Concrete 230 mm x 22,23 mm x 2,3 mm
<b>2608602544</b>	Diamond cutting disc Professional for Concrete 350 mm x 20,00+25,40 mm x 2,8 mm
<b>2608602545</b>	Diamond cutting disc Professional for Concrete 400 mm x 20,00+25,40 mm x 3,2 mm
<b>2608603313</b>	Diamond grinding head Standard for Concrete Turbo 105 x 22.23 x 3 mm
<b>2608601761</b>	Diamond grinding head Expert for Concrete 115 x 22.23 x 4.5 mm x 18 segments
<b>2608601762</b>	Diamond grinding head Expert for Concrete 125 x 22.23 x 4.5 mm x 18 segments

## Diamond Cutting Discs for Marble

REFERENCE	DESCRIPTION
<b>2608602282</b>	Diamond cutting disc Professional for Marble 115 mm x 22,23 mm x 2,2 mm
<b>2608602283</b>	Diamond cutting disc Professional for Marble 230 mm x 22,23 mm x 2,8 mm



# Flexible Abrasives



## Fibre-Sanding Discs

Expert for metal



REFERENCE	DESCRIPTION
<b>2608608N99</b>	Fibre-Sanding Disc, 115 mm, Expert for Metal P36
<b>2608608P00</b>	Fibre-Sanding Disc, 115 mm, Expert for Metal P60
<b>2608608P01</b>	Fibre-Sanding Disc, 115 mm, Expert for Metal P80
<b>2608608P02</b>	Fibre-Sanding Disc, 115 mm, Expert for Metal P100
<b>2608608P12</b>	Fibre-Sanding Disc, 180 mm, Expert for Metal P60
<b>2608608P13</b>	Fibre-Sanding Disc, 180 mm, Expert for Metal P80
<b>2608601005</b>	Backing pad 115 mm, 13 300 rpm
<b>2608601209</b>	Backing pad 180 mm, 8 500 rpm

## Flap Discs

Standard for metal



- Powerful thanks to heated aluminium oxide
- Consistently high material removal rate and long lifetime
- For surface grinding and working on welded seams

REFERENCE	DESCRIPTION
<b>2608601707</b>	Flap disc, Standard for Metal 115 mm, 22.23 mm, G40
<b>2608601708</b>	Flap disc, Standard for Metal 115 mm, 22.23 mm, G60
<b>2608601709</b>	Flap disc, Standard for Metal 115 mm, 22.23 mm, G80
<b>2608601710</b>	Flap disc, Standard for Metal 115 mm, 22.23 mm, G120

## Sanding Belt



REFERENCE	DESCRIPTION
<b>2608606082</b>	Sanding belt BfWP, 75 x 533 mm, 80 Grit - 10pcs/pkt
<b>2608606083</b>	Sanding belt BfWP, 75 x 533 mm, 150 Grit - 10pcs/pkt
<b>2608607261</b>	Sanding belt BfWP, 75 x 533 mm, 180 Grit - 10pcs/pkt
<b>2608606085</b>	Sanding belt BfWP, 75 x 533 mm, 220 Grit - 10pcs/pkt
<b>2608606135</b>	Sanding belt BfWP, 100 x 610 mm, 60 Grit - 10pcs/pkt
<b>2608606136</b>	Sanding belt BfWP, 100 x 610 mm, 80 Grit - 10pcs/pkt
<b>2608606137</b>	Sanding belt BfWP, 100 x 610 mm, 100 Grit - 10pcs/pkt
<b>2608607263</b>	Sanding belt BfWP, 100 x 610 mm, 120 Grit - 10pcs/pkt

## Sanding Rolls


REFERENCE	DESCRIPTION
<b>2608621482</b>	J450 Cloth hand sanding roll Grit 60 115mm x 50m
<b>2608621483</b>	J450 Cloth hand sanding roll Grit 80 115mm x 50m
<b>2608621484</b>	J450 Cloth hand sanding roll Grit 100 115mm x 50m
<b>2608621485</b>	J450 Cloth hand sanding roll Grit 120 115mm x 50m

## Sanding Sheets & Blocks

REFERENCE	DESCRIPTION
<b>2608621252</b>	Standard block 3 pcs (super fine, fine, medium - profile)
<b>2608608223</b>	Standard block Fine (profile)
<b>2608608225</b>	Standard block Medium (flat & edge)
<b>2608608228</b>	Standard block Super Fine (flat & edge)
<b>2608605067</b>	Sanding Sheet BfWP 125mm, G40, 8 holes (5pcs)
<b>2608605068</b>	Sanding Sheet BfWP 125mm, G60, 8 holes (5pcs)
<b>2608605069</b>	Sanding Sheet BfWP 125mm, G80, 8 holes (5pcs)
<b>2608605071</b>	Sanding Sheet BfWP 125mm, G120, 8 holes (5pcs)



# Bonded Abrasives & Sanding



## Clamped Sanding Sheets (Expert)

REFERENCE	DESCRIPTION
2608605294	Clamped Sanding sheet Expert for Wood 93 x 230, G40
2608605295	Clamped Sanding sheet Expert for Wood 93 x 230, G60
2608605296	Clamped Sanding sheet Expert for Wood 93 x 230, G80
2608605298	Clamped Sanding sheet Expert for Wood 93 x 230, G120

## Hook & Loop Sanding Sheets (Expert)

REFERENCE	DESCRIPTION
2608605584	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G40mm
2608605316	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G60mm
2608605317	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G80mm
2608605318	Hook & Loop Sanding sheet Expert for Wood 115mm x 230mm, G120mm

## Bonded Abrasives (Standard)



REFERENCE	DESCRIPTION
2608603159	Standard for Metal cutting disc with depressed centre, 115 mm, 22,23 mm, 2,5 mm
2608603160	Standard for Metal cutting disc with depressed centre, 125 mm, 22,23mm, 2,5 mm
2608603161	Standard for Metal cutting disc with depressed centre, 180 mm, 22,23 mm, 3,0 mm
2608603162	Standard for Metal cutting disc with depressed centre, 230 mm, 22,23 mm, 3,0 mm
2608603181	Standard for Metal grinding disc with depressed centre, 115 mm, 22,23 mm, 6,0 mm
2608603182	Standard for Metal grinding disc with depressed centre, 125 mm, 22,23 mm, 6,0 mm
2608603183	Standard for Metal grinding disc with depressed centre, 180 mm, 22,23 mm, 6,0 mm
2608603184	Standard for Metal grinding disc with depressed centre, 230 mm, 22,23 mm, 6,0 mm
2608602759	Standard for Metal straight cutting disc, 355 mm, 25,40 mm, 3,1 mm
2608603169	Standard for INOX straight cutting disc, 115 mm x 1,0 mm x 22,23 mm

## Bonded Abrasives

## Grinding wheel

REFERENCE	DESCRIPTION
1609201649	Grinding wheel for double-wheeled bench grinder 150 mm, 20 mm, 24
2608600111	Grinding wheel for double-wheeled bench grinder 200 mm, 32 mm, 36

REFERENCE	DESCRIPTION
2608600005	Expert for Metal cutting disc with depressed centre, 115 mm, 22,23 mm, 2,5 mm
2608600316	Expert for Metal cutting disc with depressed centre, 180 mm, 22,23 mm, 3,0 mm
2608600226	Expert for Metal cutting disc with depressed centre, 230 mm, 22,23 mm, 3,0 mm
2608600218	Expert for Metal grinding disc with depressed centre, 115 mm, 22,23 mm, 6,0 mm
2608600315	Expert for Metal grinding disc with depressed centre, 180 mm, 22,23 mm, 6,0 mm
2608600228	Expert for Metal grinding disc with depressed centre, 230 mm, 22,23 mm, 6,0 mm
2608600542	Expert for Metal straight cutting disc, 300 mm, 25,40 mm, 2,8 mm
2608600543	Expert for Metal straight cutting disc, 350 mm, 25,40 mm, 2,8 mm
2608600545	Expert for INOX straight cutting disc, 115 mm, 22,23 mm, 1,0 mm
2608600549	Expert for INOX straight cutting disc, 125 mm, 22,23 mm, 1,0 mm
2608600710	Expert for INOX straight cutting disc, 180 mm, 22,23 mm, 1,6 mm
2608603407	Expert for INOX straight cutting disc, 230 mm, 22,23 mm, 1,9 mm
2608600096	Expert for INOX straight cutting disc, 230 mm, 22,23 mm, 2,0 mm



# Blades



## Jigsaw Blades



REFERENCE	DESCRIPTION
<b>2608630030</b>	Jigsaw blade T 101 B Clean for Wood (5pcs)
<b>2608630032</b>	Jigsaw blade T 101 D Clean for Wood (5pcs)
<b>2608630033</b>	Jigsaw blade T 111 C Basic for Wood (5pcs)
<b>2608631013</b>	Jigsaw blade T 118 A Basic for Metal (5pcs)
<b>2608631964</b>	Jigsaw blade T 118 A Basic for Metal (100pcs)
<b>2608631017</b>	Jigsaw blade T 127 D Special for Alu (5pcs)
<b>2608630040</b>	Jigsaw blade T 144 D Speed for Wood (5pcs)
<b>2608637880</b>	Jigsaw blade T 144 D Speed for Wood (100pcs)
<b>2608630058</b>	Jigsaw blade T 244 D Speed for Wood (5pcs)
<b>2608637881</b>	Jigsaw blade T 244 D Speed for Wood (100pcs)
<b>2608637590</b>	Jigsaw blade T 301 CD Clean for Wood (5pcs)
<b>2608631319</b>	Jigsaw blade T 318 A Basic for Metal (5pcs)
<b>2608637944</b>	Jigsaw blade T 344 D Speed for Wood (5pcs)
<b>2608634994</b>	Jigsaw blade T 345 XF Progressor for Wood and Metal (5pcs)
<b>2608667394</b>	Jigsaw blade T 1044 DP Precision for Wood

## Sabre Saw Blades

Flexible for metal

REFERENCE	DESCRIPTION
<b>2608656041</b>	Sabre saw blade S 1122 BF Flexible for Metal
<b>2608654405</b>	Sabre saw blade S 3456 XF Progressor for Wood and Metal
<b>2608654403</b>	Sabre saw blade S 2345 X Progressor for Wood
<b>2608653131</b>	S 957 CHM 150 mm x 20 mm x 1,35 mm sabre rescue blades(10pcs)
<b>2608653133</b>	S 1157 CHM 225 mm x 20 mm x 1,35 mm sabre rescue blades(10pcs)



## Circular Saw Blades (Eco)



REFERENCE	DESCRIPTION
<b>2608644399</b>	Sabre saw blade S 1122 BF Flexible for Metal
<b>2608644400</b>	Sabre saw blade S 3456 XF Progressor for Wood and Metal
<b>2608644404</b>	Sabre saw blade S 2345 X Progressor for Wood
<b>2608644405</b>	S 957 CHM 150 mm x 20 mm x 1,35 mm sabre rescue blades(10pcs)
<b>2608644407</b>	S 1157 CHM 225 mm x 20 mm x 1,35 mm sabre rescue blades(10pcs)
<b>2608644411</b>	Circular saw blade ECO for Aluminium 184x2.2/1.4x20 60T
<b>2608644412</b>	Circular saw blade ECO for Aluminium 254x3.0/2.2x30 96T
<b>2608644414</b>	Circular saw blade ECO for Aluminium 305x3.2/2.2x30 80T

# Circular Saw Blades



## Circular Saw Blades



REFERENCE	DESCRIPTION
<b>2608641172</b>	Jigsaw blade T101 B Clean for Wood (5pcs)
<b>2608640853</b>	Circular saw blade Optiline Wood, 184 mm x 20 mm x 2,5 mm, 40T
<b>2608640854</b>	Circular saw blade Optiline Wood, 184 mm x 20 mm x 2,5 mm, 60T
<b>2608640894</b>	Circular saw blade Optiline Wood, 235 mm x 35 mm x 2,5 mm, 40T
<b>2608640895</b>	Circular saw blade Optiline Wood, 235 mm x 35 mm x 2,5 mm, 60T
<b>2608640908</b>	Circular saw blade Optiline Wood, 254 mm x 30 mm x 2,5 mm, 60T
<b>2608640807</b>	Circular saw blade Speedline Wood, 235 mm x 30/25 mm x 2,6 mm, 30T
<b>2608640503</b>	Multi Material circular saw blade 160 x 20/16 x 2,4 mm; 42T
<b>2608642193</b>	Circular saw blade Multi Material, 184 mm x 20 mm x 2,0 mm, T60
<b>2608642197</b>	Circular saw blade Multi Material, 235 mm x 25 mm x 2,0 mm, T80
<b>2608640509</b>	Circular saw blade Multi Material, 190 mm x 30 mm x 2,4mm, 54T
<b>2608640514</b>	Circular saw blade Multi Material, 235 mm x 30/25 mm x 2,4 mm, 64T
<b>2608640451</b>	Circular saw blade Multi Material, 254 mm x 30 mm x 3,2 mm, 96T
<b>2608642202</b>	Circular saw blade Multi Material, 254 mm x 30 mm x 3,2 mm, 100T
<b>2608642208</b>	Circular saw blade Multi Material, 305 mm x 30 mm x 2,7 mm, 80T
<b>2608640452</b>	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 80T
<b>2608640453</b>	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 96T
<b>2608642209</b>	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 100T
<b>2608642210</b>	Circular saw blade Multi Material, 305 mm x 30 mm x 3,2 mm, 120T
<b>2608642114</b>	Circular saw blade Best for Wood, 300 mm x 30 mm x 3,2 mm, 48T

## Circular Saw Blades (Expert)




REFERENCE	DESCRIPTION
<b>2608642508</b>	Circular saw blade Expert for Wood, 300 mm x 30 mm x 3,2 mm, 48T
<b>2608642529</b>	Circular saw blade Expert for Multi Material, 305 mm x 30 mm x 2,4 mm, 96T
<b>2608643060</b>	Circular saw blade Expert for Steel 305 mm x 25,4 mm x 2,6 mm, 60T
<b>2608644115</b>	Circular saw blade Expert for Aluminium 305 mm x 30 mm x 2,8 mm, 96T





# Router Bits



## Multi-Cutter Accessories



REFERENCE	DESCRIPTION
2608661636	BIM segment saw blade ACZ 85 EB Wood and Metal 85 mm
2608661781	BIM plunge cut saw blade All 65 APB Wood and Metal 40 x 65 mm
2608661644	BIM plunge cut saw blade AIZ 32 APB Wood and Metal 50 x 32 mm
2608661645	BIM plunge cut saw blade AIZ 32 BSPB Hard Wood 50 x 32 mm
2608661637	HCS plunge cut saw blade AIZ 32 EPC Wood 50 x 32 mm
2608661647	HCS scraper ATZ 52 SFC, flexible 52 x 38 mm
2608662018	Carbide plunge cut saw blade AIZ 32 AT Metal 40 x 32 mm
2608661642	Carbide-RIFF segment saw blade ACZ 85 RT3 85 mm
2608000493	Starlock sanding plate AVZ 93 G 93 mm
2608605165	C470 sanding sheet, pack of 6 93 mm, 60; 120; 240
2608661696	Set: Acz 85 Eb (1x); Aiz 32 Bspb (1x); Aiz 32 Epc (1x); Atz 52 Sc (1x)

## Routing 6mm



REFERENCE	DESCRIPTION
2608628448	Chamfer bit 6 mm, B 11 mm, L 15 mm, G 56 mm, 45°
2608628460	Core box bit 6 mm, R1 3 mm, D 6 mm, L 9,2 mm, G 40 mm
2608628451	Core box bit 6 mm, R1 5 mm, D 10 mm, L 9,2 mm, G 40 mm
2608628450	Core box bit 6 mm, R1 6 mm, D 13 mm, L 9,2 mm, G 40 mm
2608628455	Core box bit 6 mm, R1 6 mm, D 25 mm, L 12,7 mm, G 54 mm
2608628452	Core box bit 6 mm, R1 8 mm, D 16 mm, L 12,4 mm, G 45 mm
2608628453	Core box bit 6 mm, R1 13 mm, D 25 mm, L 15,6 mm, G 49 mm
2608628461	Flush trim bit 6 mm, D 6 mm, L 16,2 mm, G 54 mm
2608628462	Flush trim bit 6 mm, D 10 mm, L 12,7 mm, G 56 mm
2608628463	Flush trim bit 6 mm, D 13 mm, L 12,7 mm, G 56 mm
2608628459	Ovolo bit profile cutters 6mm D25,4mm, L14mm, G46
2608628449	Rabbeting bit 6mm D25,4mm, L12,4mm, G54mm
2608628438	Straight bit 6 mm, D1 3 mm, L 7,7 mm, G 51 mm
2608628439	Straight bit 6 mm, D1 5 mm, L 12,4 mm, G 51 mm
2608628440	Straight bit 6 mm, D1 6 mm, L 15,7 mm, G 48 mm
2608628441	Straight bit 6 mm, D1 8 mm, L 19,6 mm, G 51 mm
2608628442	Straight bit 6 mm, D1 10 mm, L 19,6 mm, G 51 mm
2608628443	Straight bit 6 mm, D1 13 mm, L 19,6 mm, G 51 mm
2608628444	Straight bit 6 mm, D1 19 mm, L 19,5 mm, G 51 mm
2608628454	Roman ogee bit 6 mm, R1 4,1 mm, D 29 mm, L 12,4 mm, G 54 mm
2608628445	V-groove bit 6 mm, D1 6 mm, L 9,2 mm, G 45 mm, 90°
2608628446	V-groove bit 6 mm, D1 10 mm, L 12,4 mm, G 45 mm, 90°
2608628447	V-groove bit 6 mm, D1 13 mm, L 12,7 mm, G 45 mm, 90°
2607019464	6pcs router bit set (6mm)

# Router Bits



## Routing 8mm




REFERENCE	DESCRIPTION
<b>2608628340</b>	Roundover bits 8 mm, R1 6 mm, L 13,2 mm, G 53 mm
<b>2608628343</b>	Roundover bits 8 mm, R1 12 mm, L 19 mm, G 60 mm
<b>2608628346</b>	Laminate trim bits 8 mm, D1 9,5 mm, L 25,4 mm, G 68 mm
<b>2608628347</b>	Laminate trim bits 8 mm, D1 12,7 mm, L 13 mm, G 56 mm
<b>2608628348</b>	Laminate trim bits 8 mm, D1 12,7 mm, L 25,4 mm, G 68 mm
<b>2608628352</b>	Chamfer bit 8 mm, B 11 mm, L 15 mm, G 56 mm, 45°
<b>2608628368</b>	Core box bits 8 mm, R1 6 mm, D 12 mm, L 9,2 mm, G 40 mm
<b>2608628372</b>	Straight bits 8 mm, D1 8 mm, L 25,4 mm, G 56 mm
<b>2608628373</b>	Straight bits 8 mm, D1 10 mm, L 25,4 mm, G 56 mm
<b>2608628374</b>	Straight bits 8 mm, D1 12 mm, L 32 mm, G 62 mm
<b>2608628375</b>	Straight bits 8 mm, D1 14 mm, L 20 mm, G 51 mm
<b>2608628376</b>	Straight bits 8 mm, D1 3 mm, L 8 mm, G 51 mm
<b>2608628377</b>	Straight bits 8 mm, D1 4 mm, L 8 mm, G 51 mm
<b>2608628378</b>	Straight bits 8 mm, D1 5 mm, L 12,7 mm, G 51 mm
<b>2608628379</b>	Straight bits 8 mm, D1 6 mm, L 16 mm, G 48 mm
<b>2608628381</b>	Straight bits 8 mm, D1 8 mm, L 20 mm, G 51 mm
<b>2608628383</b>	Straight bits 8 mm, D1 10 mm, L 20 mm, G 51 mm
<b>2608628385</b>	Straight bits 8 mm, D1 12 mm, L 20 mm, G 51 mm
<b>2608628387</b>	Straight bits 8 mm, D1 15 mm, L 20 mm, G 51 mm
<b>2608628388</b>	Straight bits 8 mm, D1 16 mm, L 20 mm, G 51 mm
<b>2608628389</b>	Straight bits 8 mm, D1 18 mm, L 25 mm, G 56 mm
<b>2608628390</b>	Straight bits 8 mm, D1 20 mm, L 25 mm, G 56 mm
<b>2608628392</b>	Straight bits 8 mm, D1 25 mm, L 20 mm, G 51 mm
<b>2608628393</b>	Edge forming bits A 8 mm, R1 4,8 mm, B 11 mm, L 14,3 mm, G 57 mm
<b>2608628395</b>	Edge forming bit B 8 mm, R1 6,3 mm, B 12,7 mm, L 17 mm, G 61 mm
<b>2608628396</b>	Edge forming bits C 8 mm, R1 4,8 mm, B 9,5 mm, L 14 mm, G 57 mm
<b>2608628397</b>	Edge forming bit D 8 mm, R1 6,3 mm, B 15 mm, L 18 mm, G 60 mm
<b>2608628403</b>	Slotting cutters 8 mm, D1 32 mm, L 5 mm, G 51 mm
<b>2608628406</b>	V-groove bits 8 mm, D1 11 mm, L 14 mm, G 45 mm, 60°
<b>2608628407</b>	V-groove bits 8 mm, D1 16 mm, L 16 mm, G 45 mm, 90°
<b>2607019469</b>	15pcs router bit set (8mm)





# Others



REFERENCE	DESCRIPTION
<b>2607000745</b>	Fixing Set (Brick) 20 mm
<b>2608002000</b>	Fixing Set (Concrete) 16 mm
<b>2608002001</b>	Wall plugs 50 pcs Set (Concrete) 16 mm
<b>1608571048</b>	Keyed chucks up to 13 mm 1.5-13 mm, 1/2"-20
<b>1608571062</b>	Keyed chucks up to 13 mm 1.5-13 mm, 1/2"-20
<b>1608571056</b>	Keyed chucks up to 16 mm 3 - 16 mm, 5/8"-16
<b>2608572212</b>	Keyless chuck with adapter 1.5 - 13 mm, SDS-plus
<b>2608572213</b>	SDS-plus keyless chuck SDS-plus
<b>1618598159</b>	Drill bit adapters for drill bits SDS-max, SDS-plus
<b>2605411150</b>	Paper filter bags
<b>1610795007</b>	Transport cart for USH/ GSH 27
<b>2607000096</b>	Planer blades
<b>2607000193</b>	Planer blades
<b>1608614002</b>	Wire cup brush 100 mm, 0,8 mm, M14
<b>1608614011</b>	Wire cup brush 100 mm, 0,5 mm, M14
<b>3600320014</b>	Reduction sleeve
<b>1603115004</b>	Morse taper
<b>2608570107</b>	Collet/nut 12mm for GOF 1600 CE
<b>2608661696</b>	Floor/installation set ACZ 85 EB
<b>2608612026</b>	Lambskin disc 170 mm
<b>F000600494</b>	GVC 22 EX - Hose 35mm x 1.5m (GVC 22 EX)
<b>F000600390</b>	GVC 22 EX - Hose 35mm x 3.5m (GVC 22 EX)

# Hand Sanding Sheets

REFERENCE	DESCRIPTION
<b>2608621540</b>	280 x 230 mm G1000 (100Pcs)
<b>2608621541</b>	280 x 230 mm G1200 (100Pcs)
<b>2608621542</b>	280 x 230 mm G1500 (100Pcs)
<b>2608621543</b>	280 x 230 mm G2000 (100Pcs)
<b>2608621544</b>	280 x 230 mm G2500 (100Pcs)



REFERENCE	DESCRIPTION
<b>2608621527</b>	280 x 230 mm G60 (100Pcs)
<b>2608621528</b>	280 x 230 mm G80 (100Pcs)
<b>2608621529</b>	280 x 230 mm G100 (100Pcs)
<b>2608621530</b>	280 x 230 mm G120 (100Pcs)
<b>2608621531</b>	280 x 230 mm G150 (100Pcs)
<b>2608621532</b>	280 x 230 mm G180 (100Pcs)
<b>2608621533</b>	280 x 230 mm G220 (100Pcs)
<b>2608621534</b>	280 x 230 mm G240 (100Pcs)
<b>2608621535</b>	280 x 230 mm G320 (100Pcs)
<b>2608621536</b>	280 x 230 mm G400 (100Pcs)
<b>2608621537</b>	280 x 230 mm G500 (100Pcs)
<b>2608621538</b>	280 x 230 mm G600 (100Pcs)
<b>2608621539</b>	280 x 230 mm G800 (100Pcs)

# GET IN TOUCH

E.D. Services SARL

Lot No 131, Cite Saudi, Al Gamil Villa Complex,  
Djibouti, Republic of Djibouti

+971 50 6211975

info@edservices.global  
edservices.global

